




BMW 1 series (F70)

07/'24-

✗ Excluding M-135

✓ Standard Bumper and M-Sport OK



D 8,00	F	E₆
S 75	EC-N°	55R-02 1854
REF N°	SERIAL N°	
2877T60	XXXX	
DESCRIPTION		
BMW 1 series (F20) 07/'24-		





!


$$D = \frac{\text{max kg} \times \text{max kg}}{\text{max kg} + \text{max kg}} \times 0.00981 \leq 8,00 \text{ kN}$$







S = ≤ 75 kg ≤ 1300 kg **!**

! See the Certificate Of Conformity (COC) of your vehicle or contact your dealer to verify the max. trailer weight of your car!


! See the user manual of the vehicle for correct use of bicycle carriers!






Geleverd met - Livré avec - Delivered with Geliefert mit - Elementos adjuntos-Leveres med							
1		x1	ref. 28700	-		x1	ref. p40
2		x4	din 9021-1303	↳		x1	ref. 908.096
3		x4	grower vsk-m12	↳		x1	din 985m6
4		x4	din 934m12.5x10	↳		x2	6,2x 15,4 1,6n(lon)
5		x6	grower vsk-m10	↳		x1	ref. 718.16.002
6		x6	din 933m1040	↳		x1	ref. 718.16.003
7		x2	din 12510.502	↳		x1	ref. 908.094
8		x2	din 934m10	↳		x1	din 933m6 x 30
~		x1	ref. 908.096	↳			
					x1	ref. 9600410	
				↳ 	x1	ref. 740.200	
					x1	ref. 912.003	
				↳ 	x1	ref. 740.112	
				↳ 	x1	ref. 740.111	
					x1	ref. 740.12x x=last number on key	
					x1	ref. 718.15.001	
					x1	ref. syst60-10	
				↳ 	x3	din 931m12110-8.8	
				↳ 	x3	din 128m12	
				↳ 	x6	din 125m12	
				↳ 	x3	din 934m12	


1






2




3




4




5




6






7




8
















Reinstall the heat shield









a		x1	ref. 908.096
b		x1	din985m6
c		x2	ø15,4 6,2 1,6n(lon)
d		x1	ref. 718.16.002
e		x1	ref. 718.16.003
f		x1	ref. 908.094
g		x1	din933m6x 30




17




93,3 Nm



- | | | | |
|---|---|----|-------------------|
| a |  | x1 | ref. 912.003 |
| b |  | x3 | din 931-12110-8.8 |
| c |  | x3 | din 128-m12 |
| d |  | x4 | din 125-m12 |
| e |  | x3 | din 934-m12 |



18



16